

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9027	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:00
L2	0	("(p2porp-2-por(peerneartonearpeer)or(peernear(grouporcommunity)))and((peernearadvertisement)or(contentnearadvertisement)or(servicenearadvertisement))andl1").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:00
L3	9	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) and ((peer near advertisement) or (content near advertisement) or (service near advertisement)) and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:01
L4	0	l3 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:01
S1	2	"20020062375"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 10:59
S2	4	"6782527"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:36
S3	6	"6487583"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:40
S4	2	"20030067912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:40
S5	1248	(p2p or p-2-p or (peer near to near peer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:06

S6	114	S5 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:01
S7	1	(peer near (group or node)) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:02
S8	29	(advertisement or messages or invitation or broadcast) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:03
S9	2084	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:12
S10	1032611	S9 adn network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:09
S11	1755	S9 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:09
S12	782	S11 and ((content or file or data) near2 (shar\$3 or transfer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:57
S13	105	S12 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:24
S14	3200	(park near j near s).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:23
S15	134	p2p.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:32

S16	8	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:27
S17	11	S15 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:27
S18	9	S14 and (p2p or p-2-p or (peer near to near peer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:30
S19	5	"6757684"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:01
S20	505	napster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:01
S21	22	S20 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:02
S22	0	S9 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:06
S23	188	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:06
S24	32	S23 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:13
S25	5	"6487539"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:08

S26	10	"6208623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:17
S27	37	"5737526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:18
S28	782	S9 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:20
S29	49	(discovery near protocol) same (p2p or p-2-p or (peer near to near peer) or (peer near (group or community)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:47
S30	0	S29 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:37
S31	0	("6934702").URPN.	USPAT	OR	ON	2005/09/23 13:43

S32	67	("5446880" "5577241" "5659732" "5751611" "5826261" "5832506" "5845278" "5848234" "5920854" "5920856" "5924105" "5933822" "5985454" "5987454" "6006217" "6047286" "6055538" "6070158" "6094649" "6102969" "6105019" "6145003" "6161102" "6212545" "6233571" "6256623" "6269361" "6275820" "6278993" "6292802" "6317741" "6327590" "6336116" "6347314" "6434548" "6442544" "6453315" "6480837" "6484166" "6490575" "6510406" "6523022" "6523026" "6523029" "6523037" "6526400" "6560600" "6574655" "6615209" "6647383" "6650998" "6665655" "6687696" "6701310" "6704726" "6711568" "6718324" "6725425" "6757646" "6757675" "6763362" "6785670" "6785671" "6799176" "6801906" "6807539" "6807546").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:44
S33	0	S32 and (discovery near protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:44
S34	1258	(discovery near protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:47
S35	1198	(discovery adj1 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:47
S36	78	S35 and (p2p or p-2-p or (peer near to near peer) or (peer near (group or community)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:48

S37	2	S36 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:56
S38	245	S35 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:56
S39	126	S38 and ((content or file or data) near2 (shar\$3 or transfer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:11
S40	47472	IBM.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:11
S41	35090	S40 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:12
S42	10	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:14
S43	74	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) and ((peer near advertisement) or (content near advertisement) or (service near advertisement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:24
S44	4	S43 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:16
S45	781	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) and ((public adj1 key) or security or authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 15:03
S46	87	S45 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 15:03

S47	229	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) and ((public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 15:03
S48	8	S47 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 15:03
S49	1198	discovery adj1 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:14
S50	245	S49 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:50
S51	0	S50 and (p2p or p-2-p or (peer adj1 to adj1 peer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:15
S52	62	p2p near5 platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:51
S53	0	S52 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:50
S54	62	(p2p or p-2-p or (peer near to near peer)) near5 platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:51
S55	2091	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community)))".ti"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:20
S56	432	S55 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:20

S57	231	(p2p or p-2-p or (peer near to near peer) or (peer near (group or community))) with (identification or id or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:21
S58	46	S57 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:29
S59	49	"6269099"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020062375"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:39
L2	0	java and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:39
L3	49	"6269099"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:39
L4	0	l3 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:39
L5	7	"6456600"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:40
L6	0	l5 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:41
L7	166	(p2p or p-2-p or peer-to-peer) same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:47
L8	35	l7 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:46
L9	192	(advantage or benefit) near java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:47

L10	89	I9 and @ad < "20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:47
L11	1	(p2p or p-2-p or peer-to-peer) and l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:47